AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-23. (Canceled)

- 24. (Currently Amended) A process for fabricating a dental material comprising:
- (a) mixing ceramic powder and one or more media together to achieve homogeneity throughout the mixture; feeding the mixture to a dispensing apparatus; and
 - (b) forming a feedstock from the mixture;
 - (c) heating the feedstock to a molten state;
- (d) dispensing the mixture molten feedstock from a dispensing apparatus ento a build platform to form a layer of dental material;
 - (e) solidifying the layer of dental material; and
 - (f) repeating (d)-(e) a plurality of times.
 - 25. (Canceled)

Attorney's Docket No. <u>1034497-018</u> Application No. <u>10/659,640</u>

- 26. (Original) The process of claim 24 wherein the ceramic powder comprises a material selected from alumina, zirconia, mullite, spinel, glass-ceramic, porcelain, titania, lithium disilicate, leucite, amorphous glass, lithium phosphate, and mixtures thereof.
- 27. (Original) The process of claim 24 wherein the one or more media comprises a silicone polymer.
 - 28. (Original) A dental restoration formed by the method of claim 24.
 - 29-36. (Canceled)
- 37. (New) The process of claim 24, wherein the mixture comprises a dispersing agent not based on glycerin.
- 38. (New) The process of claim 24, wherein the ceramic powder comprises particles of a substantially spherical shape and of a substantially uniform particle size.
- 39. (New) The process of claim 24, wherein the layer has a thickness of about .0005 in to about .001 in.
- 40. (New) The process of claim 24, wherein (f) comprises alternately dispensing different feedstock materials.

Attorney's Docket No. <u>1034497-018</u>
Application No. <u>10/659,640</u>

- 41. (New) The process of claim 24, further comprising:
- (g) removing the media; and
- (h) sintering.
- 42. (New) The dental restoration of claim 28, comprising mechanical properties having about 15% to about 20% of the mean or average standard deviation.